



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

17 July 1992

Mr. C. A. Neumayer
Director of Operations & Maintenance
Louisville and Jefferson County
Metropolitan Sewer District
400 South Sixth Street
Louisville, Kentucky 40201

RE: Response to Your July 9, 1992 Letter
Lees Lane Landfill Superfund Site Operation & Maintenance

Dear Mr. Neumayer:

In your letter dated 9 July 1992 you asked that I transmit to you Appendix L of the Operations and Maintenance Plan. It is enclosed with this letter.

You also asked that EPA advise you on how to properly dispose purge waters obtained during the quarterly ground-water sampling events. Normally, during such site investigations EPA recommends that these purge waters be discharged to the ground in a location near the well. However, since MSD will be collecting ground-water samples from wells located on private properties, EPA recommends that these purge waters, be discharged back on site grounds within the landfill. Though these purge waters are not believed to contain site contaminants in any significant concentration, discharge of these purge waters on residential property could cause unwarranted alarm among property owners.

Please feel free to contact me if you have any further questions. My number is (404)347-7791.

Sincerely,

A handwritten signature in cursive script that reads "Derek Matory".

Derek Matory
Remedial Project Manager

Enclosure



10850394